



BLIIOT BL118 Node-RED Edge Computing Gateway , \$ 112.27



Seller Info

Name:	Shenzhen Beilai Technology Co., Ltd.
Country:	China
State/Region/Province:	Guangdong
City:	Shenzhen
First Name:	Stella
Last Name:	Lee
Website:	https://bliiot.com/

Listing details

Description

Title: BLIIOT BL118 Node-RED Edge Computing Gateway
Price: \$ 112.27

Description:

BL118 Node-RED Gateway is an industrial-grade edge computing device powered by a dual-core A7 processor. Pre-installed with Node-RED, it supports Modbus, BACnet, CAN, OPC UA, MQTT, and major PLC protocols, enabling rapid visual programming and flexible integration. With Wi-Fi/4G connectivity and scalable I/O options, the BL118 is ideal for smart factory, energy, city, and transportation applications, driving industrial visualization and digital transformation.

Core Advantages

Out-of-Box Zero-Code Development

- Pre-installed customized Node-RED V4.0.0 with drag-and-drop programming, 5000+ official/third-party nodes
- Built-in industrial protocol nodes (PLC/MQTT/Modbus), Docker container support
- Real-time debugging + visual dashboards for rapid SCADA/energy monitoring deployment



Military-Grade Hardware Reliability

- Dual-core Cortex-A7 processor @1.2GHz with independent hardware watchdog
- **-40°C to 85°C** operating range, EMC/EMI Class A certified
- 9-36V DC wide voltage input with reverse-polarity/overcurrent/surge protection

Flexible Industrial I/O Expansion

- Base model: **4/8 isolated RS485/232/CAN** + 2×USB2.0
- **Y-Series Expansion Boards:**
 - Analog: 16ch AI/AO ($\pm 10\text{V}/4\text{-}20\text{mA}$)
 - Digital: 16ch DI/DO (NPN/PNP/Relay)
 - Temperature: PT100/PT1000/TC/4-wire RTD

Optional WiFi/4G wireless (dual-band antennas included)

Typical Applications

Smart Factory → PLC data acquisition → MES integration → Node-RED HMI dashboards

Energy Management → Meter/sensor aggregation → MQTT cloud upload → Efficiency analytics

Smart

Phone: +86 7559451836

Location

Address: Grand Soluxe Angkor Palace Resort & Spa, SGP

Country: China

ZIP code: 518103

